

§ 640.73 Reporting of fatal donor reactions.

If a donor has a fatal reaction which, in any way, may be associated with plasmapheresis the Director of the Center for Biologics Evaluation and Research shall be notified by telephone as soon as possible. If the facility is located outside of the continental United States, notification by cable or telegram shall be acceptable.

[41 FR 10770, Mar. 12, 1976, as amended at 49 FR 23834, June 8, 1984; 55 FR 11013, Mar. 26, 1990]

§ 640.74 Modification of Source Plasma.

(a) Upon approval by the Director, Center for Biologics Evaluation and Research, Food and Drug Administration, of a supplement to the biologics license application for Source Plasma, a manufacturer may prepare Source Plasma as a liquid product for a licensed blood derivative manufacturer who has indicated a need for a liquid product.

(b) Source Plasma Liquid shall meet all standards of the frozen Source Plasma except:

(1) Source Plasma Liquid shall be stored in nonleachable containers so that the containers and their components will not interact with the plasma contents under conditions of storage and use so as to alter the safety, quality, purity, or potency of the plasma and shall provide adequate protection against external factors that may cause deterioration or contamination.

(2) Source Plasma Liquid shall be shipped, stored and labeled for storage at a temperature of 10 °C or colder. An exception to the shipping or storage temperature shall be approved by the Director, Center for Biologics Evaluation and Research, Food and Drug Administration, based upon his receipt of substantial evidence to support another temperature. Such evidence may be submitted by either the licensed manufacturer of the Source Plasma Liquid or the manufacturer of the final blood derivative product who has requested the Source Plasma Liquid.

(3) The label for the Source Plasma Liquid shall be easily distinguished from that of the frozen product. Color

coding shall not be used for this purpose.

(4) The label affixed to each container of Source Plasma Liquid shall contain, in addition to the information required by § 640.70(a) but excluding § 640.70(a)(3), the name of the manufacturer of the final blood derivative product for whom it was prepared.

(5) Source Plasma Liquid shall be inspected immediately prior to issuance. If the color or physical appearance is abnormal, or there is any indication or suspicion of microbial contamination, the unit of Source Plasma Liquid shall not be issued.

[38 FR 32089, Nov. 20, 1973. Redesignated and amended at 41 FR 10770, Mar. 12, 1976; 49 FR 23834, June 8, 1984; 50 FR 4140, Jan. 29, 1985; 55 FR 11013, Mar. 26, 1990; 59 FR 49351, Sept. 28, 1994; 63 FR 16685, Apr. 6, 1998; 64 FR 56454, Oct. 20, 1999]

§ 640.76 Products stored or shipped at unacceptable temperatures.

(a) *Storage temperature.* (1) Except as provided in paragraph (a)(2) of this section, Source Plasma intended for manufacture into injectable products that is inadvertently exposed (i.e., an unforeseen occurrence in spite of compliance with good manufacturing practice) to a storage temperature warmer than -20 °C and colder than +10 °C may be issued only if labeled as "Source Plasma Salvaged." The label shall be revised before issuance, and appropriate records shall be maintained identifying the units involved, describing their disposition, and explaining fully the conditions that caused the inadvertent temperature exposure.

(2) Source Plasma intended for manufacture into injectable products that is exposed inadvertently (i.e., an unforeseen occurrence in spite of compliance with good manufacturing practice) to one episode of storage temperature fluctuation that is warmer than -20 °C and colder than -5 °C for not more than 72 hours is exempt from the labeling requirements of paragraph (a)(1) of this section, provided that the plasma has been and remains frozen solid. Appropriate records shall be maintained identifying the units involved, describing their disposition, explaining fully

§ 640.80

the conditions that caused the inadvertent temperature exposure, and documenting that the episode of temperature elevation did not exceed 72 hours, that the temperature did not rise to warmer than -5°C in storage, and that the plasma remained frozen solid throughout the period of elevated temperature. When requested, copies of the records shall be provided to the plasma derivative manufacturer.

(b) *Shipping temperature.* If Source Plasma for manufacture into injectable products is exposed inadvertently (i.e., an unforeseen occurrence in spite of compliance with good manufacturing practice) to a shipping temperature warmer than -5°C and colder than $+10^{\circ}\text{C}$, the plasma derivative manufacturer shall label it "Source Plasma Salvaged." Appropriate records shall be maintained identifying the units involved, describing their disposition, and explaining fully the conditions that caused the inadvertent temperature exposure.

(c) *Relabeling.* If Source Plasma is required to be relabeled as "Source Plasma Salvaged" under paragraph (a)(1) or (b) of this section, the person responsible for the relabeling shall cover the original label with either (1) a complete new label containing the appropriate information or (2) a partial label affixed to the original label and containing the appropriate new information, which covers the incorrect information regarding storage temperature.

[45 FR 80501, Dec. 5, 1980, as amended at 50 FR 4140, Jan. 29, 1985]

Subpart H—Albumin (Human)

§ 640.80 Albumin (Human).

(a) *Proper name and definition.* The proper name of the product shall be Albumin (Human). The product is defined as a sterile solution of the albumin derived from human plasma.

(b) *Source material.* The source material of Albumin (Human) shall be plasma recovered from Whole Blood prepared as prescribed in §§640.1 through 640.5, or Source Plasma prepared as prescribed in §§640.60 through 640.76.

(c) *Additives in source material.* Source material shall not contain an additive unless it is shown that the processing method yields a final product free of

21 CFR Ch. I (4–1–02 Edition)

the additive to such extent that the continued safety, purity, potency, and effectiveness of the final product will not be adversely affected.

[42 FR 27582, May 31, 1977, as amended at 50 FR 4140, Jan. 29, 1985; 64 FR 26286, May 14, 1999]

§ 640.81 Processing.

(a) *Date of manufacture.* The date of manufacture shall be the date of final sterile filtration of a uniform pool of bulk solution.

(b) *Processing method.* The processing method shall not affect the integrity of the product, and shall have been shown to yield consistently a product which is safe for intravenous injection.

(c) *Microbial contamination.* All processing steps shall be conducted in a manner to minimize the risk of contamination from microorganisms, pyrogens, or other impurities. Preservatives to inhibit growth of microorganisms shall not be used during processing.

(d) *Storage of bulk fraction.* Bulk concentrate to be held more than 1 week prior to further processing shall be stored in clearly identified closed vessels at a temperature of -5°C or colder. Any other bulk form of the product, exclusive of the sterile bulk solution, to be held more than 1 week prior to further processing shall be stored in clearly identified closed vessels at a temperature of 5°C or colder. Any bulk fraction to be held one week or less prior to further processing shall be stored in clearly identified closed vessels at a temperature of 5°C or colder.

(e) *Heat treatment.* Heating of the final containers of Albumin (Human) shall begin within 24 hours after completion of filling. Heat treatment shall be conducted so that the solution is heated continuously for not less than 10, or more than 11 hours, at an attained temperature of $60\pm 0.5^{\circ}\text{C}$.

(f) *Stabilizer.* Either 0.08 ± 0.016 millimole sodium caprylate, or 0.08 ± 0.016 millimole sodium acetyltryptophanate and 0.08 ± 0.016 millimole sodium caprylate per gram of protein shall be present as a stabilizer(s). Calculations of the stabilizer concentration may employ the labeled value for the protein concentration of the product as referred to in §640.84(d).